



CARTONS



BOTTLES



MEDICINES



FOODS



DETERGENT



COSMETICS



JUICES





Model	SCW-01	SCW-02	SCW-03	SCW-04	SCW-05	SCW-06	SCW-07
Max Capacity	1000 gm	2000 gm	5000 gm	15 kg	30 kg	60 kg	120 kg
Division	0.1 gm	0.2 gm	0.2 gm	1 gm	5 gm	5 gm	10 gm
Accuracy	± 0.2 gm	±0.4 gm	± 0.4 gm	± 2 gm	± 10 gm	± 10 gm	± 20 gm
Max Speed	260 pcs/m	220 pcs/m	150 pcs/m	80 pcs/m	65 pcs/m	45 pcs/m	30 pcs/m
Rejector	Air Jet	Pusher/Arm	Pusher	Pusher	Pusher on Roller conveyor		
IP Reating	IP-30 / IP-54 / IP-65 / IP-66						
Opr Environment	10° ~ 49° Celsius Humidity ≤ 95% RH						
Power	220 V AC - 50~60Hz						

Application

It is used to check the finished products with preset weight value. Widely be used in many fields like electronic , pharmacy, food, beverage, Cosmetics, health treatment, daily use chemical , agriculture, etc. It can ensure the good quality of customer food products and avoid rate of consumer complaints

Features

Product data export in Excel format

Interface connected with Ethernet or USB

Single PC or HMI control multiple check weigher

Original program can be restored

Strong stainless steel structure; Water proof design

High accurate load cell based on advanced DSP technology


Automatic weighing compensation and zero tracking



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
1	MCSS_Time	MCSS_TIMEMS	Weight_g	Product_name	Product_type										
2	2/15/2018 16:00	181	11.6	Product	OVER										
3	2/15/2018 16:01	656	11.4	Product	UNDER										
4	2/15/2018 16:01	170	11.4	Product	UNDER										
5	2/15/2018 16:01	501	11.9	Product	RIGHT										
6	2/15/2018 16:01	363	12	Product	RIGHT										
7	2/15/2018 16:01	657	11.8	Product	RIGHT										
8	2/15/2018 16:01	750	11.8	Product	RIGHT										
9	2/15/2018 16:01	747	12	Product	RIGHT										
10	2/15/2018 16:01	53	12.1	Product	RIGHT										
11	2/15/2018 16:01	16	12.1	Product	RIGHT										
12	2/15/2018 16:01	184	11.9	Product	RIGHT										
13	2/15/2018 16:01	158	11.8	Product	RIGHT										
14															

Reliable and Rugged!





Product & Production line Detail:-

Max Product Weight	Min Product Weight	Product Length (mm)	Product Width (mm)	Product Height (mm)	Smallest Space between Product	Weighing Speed pcs/min	Customer Belt Speed	Smallest Pitch between Products

Reliable and Rugged! 